



**MARKING SCHEME SQP  
MATHEMATICS (STANDARD)  
2020-21  
CLASS X**

S.NO.	ANSWER	MARKS
	<b>Part-A</b>	
1.	(LCM)(3) =180 LCM=60  <b>OR</b>  Four decimal places	$\frac{1}{2}$ $\frac{1}{2}$      1
2.	$\alpha + \beta = k/3$ $3 = k/3$ $K = 9$	$\frac{1}{2}$ $\frac{1}{2}$
3.	$\begin{array}{r} 3 \quad 1 \quad 3 \\ \underline{\quad} \quad \quad \quad \\ 6 \quad k \quad 8 \\ 3 \quad 1 \\ \underline{\quad} \quad \quad \quad \\ 6 \quad k \\ K = 2 \end{array}$	$\frac{1}{2}$ $\frac{1}{2}$
4.	Let the cost of 1 chair=Rs.x And the cost of 1 table=Rs. y $3x+y=1500$ $6x+y=2400$	$\frac{1}{2}$ $\frac{1}{2}$
5.	$a_n = a + (n-1)d$ $0 = 27 + (n-1)(-3)$ $30 = 3n$ $n = 10$ $10^{\text{th}}$  <b>OR</b>  $a_n = a + (n-1)d$ $4 = a + 6(-4)$ $a = -28$	$\frac{1}{2}$ $\frac{1}{2}$        $\frac{1}{2}$ $\frac{1}{2}$
6.	$9x^2 + 6kx + 4 = 0$ $(6k)^2 - 4 \times 9 \times 4 = 0$ $36k^2 = 144$ $K^2 = 4$ $K = \pm 2$	$\frac{1}{2}$ $\frac{1}{2}$


<p>7.</p>	$x^2+7x+10=0$ $x^2+5x+2x+10=0$ $(x+5)(x+2)=0$ $X=-5, x= - 2$ <p align="center"><b>OR</b></p> $3ax^2-6x+1=0$ $(-6)^2-4(3a) (1)<0$ $12a>36 \Rightarrow a>3$	<p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p>
<p>8.</p>	$PQ=PT$ $PL+LQ=PM+MT$ $PL+LN=PM+MN$ $\text{Perimeter}(\triangle PLM)$ $=PL+LM+PM$ $=PL+LN+MN+PM$ $=2(PL+LN)$ $=2(PL+LQ)$ $=2 \times 28 = 56 \text{cm}$	<p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p>
<p>9.</p>	 <p>In <math>\triangle PAO</math>  <math>\text{Tan}30^\circ = AO/PA</math>  <math>1/\sqrt{3} = 3/PA</math>  <math>PA = 3\sqrt{3} \text{ cm}</math></p> <p align="center"><b>OR</b></p>  <p>In <math>\triangle OPQ</math>  <math>\angle P + \angle Q + \angle O = 180^\circ</math>  <math>2\angle Q + \angle P = 180^\circ</math>  <math>2\angle Q + 90^\circ = 180^\circ</math>  <math>2\angle Q = 90^\circ</math>  <math>\angle Q = 45^\circ</math></p>	<p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p>

10.	$\frac{AD}{BD} = \frac{AE}{CE}$ $\frac{3}{4.5} = \frac{2}{CE}$ CE=3cm	½ ½
11.	8:5	1
12.	Sin30°+cosB=1 ½+cosB=1 CosB=1/2 B=60°	½ ½
13.	x+y =2sin²θ +2cos²θ+1 =2(sin²θ +cos²θ)+1 = 3	½ ½
14.	length of arc=θ/360°(2πr) = 60/360(2X22/7X21) =22 cm	½ ½
15.	$\pi R^2 H = 12 \times 4/3 \pi r^3$ 1X1x16=4/3Xr³ X12 r³=1 r=1 d=2cm	½ ½
16.	probability of getting a doublet=1/6 OR probability of getting a black queen=2/52=1/26	1
17.	(a) iii)(15/2,33/2) (b) i) 4 (c) iii)16 (d) iv)(2.0,8.5) (e) ii) x-13=0	1x4=4
18.	(a) iii)15 cm (b) iv)They are not the mirror image of one another (c) ii)Their altitudes have a ratio a:b (d) iv) 5m (e) iii)6m	1x4=4
19.	(a) ii) (4,-2) (b) i) Intersects x-axis (c) iii) parabola	1x4=4


	(d) ii) $x^2 - 36$	
	(e) iii) 0	
20.	(a) iii) 43	1x4=4
	(b) iii) 60	
	(c) ii) Median	
	(d) iii) 80	
	(e) iii) 31	

<b>Part-B</b>		
21.	$4=2 \times 2$ $7=7 \times 1$ $14=2 \times 7$ LCM = $2 \times 2 \times 7 = 28$ The three bells will ring together again at 6:28 am	$\frac{1}{2}$  $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
22.	Let P(x,0) be a point on X-axis PA=PB $PA^2=PB^2$ $(x-2)^2+(0+2)^2=(x+4)^2+(0-2)^2$ $X^2+4-4x+4=x^2+16+8x+4$ $-4x+4=8x+16$ $X=-1$ P(-1,0) <p align="center"><b>OR</b></p> PR:QR=2:1 $R\left(\frac{1(-2)+2(3)}{2+1}, \frac{1(5)+2(2)}{2+1}\right)$ R(4/3, 3)	$\frac{1}{2}$ $\frac{1}{2}$   $\frac{1}{2}$ $\frac{1}{2}$  $\frac{1}{2}$ <b>1</b>  $\frac{1}{2}$
23.	Sum of zeroes = $5-3\sqrt{2}+5+3\sqrt{2}=10$ Product of zeroes = $(5-3\sqrt{2})(5+3\sqrt{2})=7$ $P(x) = X^2-10x+7$	$\frac{1}{2}$ <b>1</b> $\frac{1}{2}$
24.		Line seg = $\frac{1}{2}$  Circles = $\frac{1}{2}$  Tangents = $\frac{1}{2} + \frac{1}{2}$


25.	$\tan A = \frac{3}{4} = \frac{3k}{4k}$ $\sin A = \frac{3k}{5k} = \frac{3}{5}, \cos A = \frac{4k}{5k} = \frac{4}{5}$ $\frac{1}{\sin A} + \frac{1}{\cos A}$ $= \frac{5}{3} + \frac{5}{4}$ $= \frac{(20+15)}{12}$ $= \frac{35}{12}$ <p align="center"><b>OR</b></p> $\sqrt{3} \sin \theta = \cos \theta$ $\frac{\sin \theta}{\cos \theta} = \frac{1}{\sqrt{3}}$ $\tan \theta = \frac{1}{\sqrt{3}}$ $\theta = 30^\circ$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
26.	$\angle A = \angle OPA = \angle OSA = 90^\circ$ Hence, $\angle SOP = 90^\circ$ Also, $AP = AS$ Hence, $OSAP$ is a square $AP = AS = 10 \text{ cm}$ $CR = CQ = 27 \text{ cm}$ $BQ = BC - CQ = 38 - 27 = 11 \text{ cm}$ $BP = BQ = 11 \text{ cm}$ $X = AB = AP + BP = 10 + 11 = 21 \text{ cm}$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
27.	Let $2 - \sqrt{3}$ be a rational number We can find co-prime $a$ and $b$ ( $b \neq 0$ ) such that $2 - \sqrt{3} = \frac{a}{b}$ $2 - \frac{a}{b} = \sqrt{3}$ So we get, $\frac{(2a-b)}{b} = \sqrt{3}$ Since $a$ and $b$ are integers, we get $\frac{(2a-b)}{b}$ is irrational and so $\sqrt{3}$ is rational. But $\sqrt{3}$ is an irrational number Which contradicts our statement Therefore $2 - \sqrt{3}$ is irrational	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
28.	$3x^2 + px + 4 = 0$ $3\left(\frac{2}{3}\right)^2 + p\left(\frac{2}{3}\right) + 4 = 0$ $\frac{4}{3} + \frac{2p}{3} + 4 = 0$ $P = -8$ $3x^2 - 8x + 4 = 0$ $3x^2 - 6x - 2x + 4 = 0$ $X = \frac{2}{3}$ or $x = 2$ Hence, $x = 2$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$

	<p align="center"><b>OR</b></p> $\alpha + \beta = 5 \text{ ----(1)}$ $\alpha - \beta = 1 \text{ ----(2)}$ <p>Solving (1) and (2), we get</p> $\alpha = 3 \text{ and } \beta = 2$ <p>also <math>\alpha\beta = 6</math></p> $\text{or } 3(k-1) = 6$ $k-1 = 2$ $k = 3$	<p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p>
<p><b>29.</b></p>	<p>Area of 1 segment = area of sector – area of triangle</p> $= \left(\frac{90^\circ}{360^\circ}\right)\pi r^2 - \frac{1}{2} \times 7 \times 7$ $= \frac{1}{4} \times 22/7 \times 7^2 - \frac{1}{2} \times 7 \times 7$ $= 14\text{cm}^2$ <p>Area of 8 segments = <math>8 \times 14 = 112 \text{ cm}^2</math></p> <p>Area of the shaded region = <math>14 \times 14 - 112</math></p> $= 196 - 112 = 84\text{cm}^2$ <p>(each petal is divided into 2 segments)</p>	<p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p>
<p><b>30.</b></p>	<p><math>\triangle ABC \sim \triangle DEF</math></p> $\frac{\text{Perimeter } (\triangle ABC)}{\text{Perimeter } (\triangle DEF)} = \frac{AB+BC+CA}{DE+EF+FD} = \frac{AB}{DE}$ $\frac{25}{15} = \frac{9}{X}$ $X = 5.4\text{cm}$ $DE = 5.4\text{cm}$ <p align="center"><b>OR</b></p>  <p>Construction-Draw <math>AM \perp BC</math></p> <p><math>BD = \frac{1}{3} BC</math>, <math>BM = \frac{1}{2} BC</math></p> <p>In <math>\triangle ABM</math>,</p> $AB^2 = AM^2 + BM^2$ $= AM^2 + (BD + DM)^2$ $= AM^2 + DM^2 + BD^2 + 2BD \cdot DM$ $= AD^2 + BD^2 + 2BD(BM - BD)$ $= AD^2 + (BC/3)^2 + 2 \cdot BC/3 \cdot (BC/2 - BC/3)$ $= AD^2 + 2BC^2/9$ $= AD^2 + 2AB^2/9$ <p>Hence, <math>7AB^2 = 9AD^2</math></p>	<p align="center">1</p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center">1</p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p>

<b>31.</b>	Class	Frequency	Cumulative frequency	<b>1</b>
	0-5	12	12	
	5-10	a	12+a	
	10-15	12	24+a	
	15-20	15	39+a	
	20-25	b	39+a+b	
	25-30	6	45+a+b	
	30-35	6	51+a+b	
	35-40	4	55+a+b	
	Total	70		
	55+a+b=70 a+b=15			$\frac{1}{2}$
	$\text{median} = l + \frac{\frac{N}{2} - cf}{f} \times h$ $16 = 15 + \frac{35 - 24 - a}{15} \times 5$ $1 = (11 - a) / 3$ $A = 8$			$\frac{1}{2}$
	55+a+b=70 55+8+b=70 B=7			$\frac{1}{2}$
<b>32.</b>				$\frac{1}{2}$
	Let AB=candle C and D are coins $\tan 60^\circ = AB/BC = h/b$ $\sqrt{3} = h/b$ $H = b\sqrt{3}$ -----(1)			$\frac{1}{2}$
	$\tan 30^\circ = AB/BD = h/a$ $1/\sqrt{3} = h/a$ $H = a/\sqrt{3}$ -----(2)			$\frac{1}{2}$
	Multiplying (1) and (2), we get $H^2 = b\sqrt{3} \times a/\sqrt{3}$ $H^2 = b a$			$\frac{1}{2}$
	$H = \sqrt{ab}$ m			$\frac{1}{2}$

<p><b>33.</b></p>	$\text{Mode} = l + \frac{f_1 - f_0}{2f_1 - f_2 - f_0} \times h$ $67 = 60 + \frac{15 - x}{30 - 12 - x} \times 10$ $7 = \frac{15 - x}{18 - x} \times 10$ $7x(18 - x) = 10(15 - x)$ $126 - 7x = 150 - 10x$ $3x = 150 - 126$ $3x = 24$ $x = 8$	<p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p>
<p><b>34.</b></p>	 <p>Let BD=river          AB=CD=palm trees=h          BO=x          OD=80-x          In <math>\triangle ABO</math>,  <math>\tan 60^\circ = h/x</math>  <math>\sqrt{3} = h/x</math> ----- (1)  <math>H = \sqrt{3}x</math>          In <math>\triangle CDO</math>,  <math>\tan 30^\circ = h/(80-x)</math>  <math>1/\sqrt{3} = h/(80-x)</math> ----- (2)          Solving (1) and (2), we get  <math>x = 20</math>  <math>H = \sqrt{3}x = 34.6</math>          the height of the trees=h=34.6m  <math>BO = x = 20\text{m}</math>  <math>DO = 80 - x = 80 - 20 = 60\text{m}</math></p>	<p>1</p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p>



	<p align="center"><b>OR</b></p>  <p>Let AB=Building of height 50m  RT= tower of height= h m  BT=AS=x m  AB=ST=50 m  RS=TR-TS=(h-50)m  In <math>\triangle ARS</math>, <math>\tan 30^\circ = RS/AS</math>  <math>1/\sqrt{3} = (h-50)/x</math> ----- (1)  In <math>\triangle RBT</math>, <math>\tan 60^\circ = RT/BT</math>  <math>\sqrt{3} = h/x</math> ----- (2)</p> <p>Solving (1) and (2), we get  h= 75  from (2)  <math>x=h/\sqrt{3}</math>  <math>=75/\sqrt{3}</math>  <math>=25\sqrt{3}</math>  Hence, height of the tower=h=75m  Distance between the building and the tower=<math>25\sqrt{3}=43.25m</math></p>	<p align="center">1</p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p>
<p><b>35.</b></p>	<p>For pipe , r = 1cm  Length of water flowing in 1 sec, h=0.7m=7cm  Cylindrical Tank, R=40 cm , rise in water level=H  Volume of water flowing in 1 sec= <math>\pi r^2 h = \pi \times 1 \times 1 \times 70</math>  <math>=70\pi</math>  Volume of water flowing in 60 sec=<math>70\pi \times 60</math>  Volume of water flowing in 30 minutes=<math>70\pi \times 60 \times 30</math>  Volume of water in Tank=<math>\pi r^2 H = \pi \times 40 \times 40 \times H</math>  Volume of water in Tank= Volume of water flowing in 30 minutes  <math>\pi \times 40 \times 40 \times H = 70\pi \times 60 \times 30</math>  H=78.75cm</p>	<p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center">1</p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p> <p align="center"><math>\frac{1}{2}</math></p>

<p><b>36.</b></p>	<p>Let speed of the boat in still water =x km/hr, and  Speed of the current =y km/hr  Downstream speed =(x+y) km/hr  Upstream speed =(x-y) km/hr  <math>\frac{24}{x+y} + \frac{16}{x-y} = 6</math>-----(1)</p> <p><math>\frac{36}{x+y} + \frac{12}{x-y} = 6</math>-----(2)</p> <p>Let <math>\frac{1}{x+y} = u</math> and <math>\frac{1}{x-y} = v</math></p> <p>Put in the above equation we get,  24u+16v=6  Or, 12u+8v=3 ... (3)  36u+12v=6  Or, 6u+2v=1 ... (4)  Multiplying (4) by 4, we get,  24u+8v=4v ... (5)  Subtracting (3) by (5), we get,  12u=1  <math>\Rightarrow u=1/12</math>  Putting the value of u in (4), we get, v=1/4  <math>\Rightarrow \frac{1}{x+y} = \frac{1}{12}</math> and <math>\frac{1}{x-y} = \frac{1}{4}</math>  <math>\Rightarrow x+y=12</math> and <math>x-y=4</math>  Thus, speed of the boat in still water = 8 km/hr,  Speed of the current = 4 km/hr</p>	<p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p>
-------------------	--	---