RD Sharma
Solutions
Class 12 Maths
Chapter 14
Ex 14.1

#### Differentials Errors and Approximation Ex 14.1 Q1

Let 
$$x = \frac{\pi}{2}$$
,  $x + \Delta x = \frac{22}{14}$   

$$\Delta x = \frac{22}{14} - x$$

$$\Delta x = \left(\frac{22}{14} - \frac{\pi}{2}\right)$$

$$y = \sin x$$

$$\frac{dy}{dx} = \cos x$$

$$\left(\frac{dy}{dx}\right)_{x=\frac{\pi}{2}} = \frac{\cos \pi}{2}$$

$$\left(\frac{dy}{dx}\right)_{x=\frac{x}{2}}=0$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x = \frac{\pi}{2}} \times \Delta ax$$
$$= 0 \times \left(\frac{22}{14} - \frac{\pi}{2}\right)$$
$$\Delta y = 0$$

So, there is no change in y.

### Differentials Errors and Approximation Ex 14.1 Q2

[volume of sphere]

Let 
$$x = 10$$
,  $x + \Delta x = 9.8$   
 $\Delta x = 9.8 - x$   
 $= 9.8 - 10$ 

$$\Delta x = -0.2$$

$$y = \frac{4}{3}\pi x^3$$

$$\frac{dy}{dx} = 4\pi r^2$$

$$\left(\frac{dy}{dx}\right)_{x=10} = 4\pi \left(10\right)^2$$

$$\left(\frac{dy}{dx}\right)_{x=10} = 400\pi \text{ cm}^2$$

$$\left(\frac{dx}{dx}\right)_{x=10} = 400\% \text{ cm}$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=10} \times \Delta x$$
$$= 400\pi \times (-0.2)$$
$$\Delta y = -80\pi \text{ cm}^3$$

So, approximate diecocase in volume is  $80\pi$  cm<sup>3</sup>.

# Differentials Errors and Approximation Ex 14.1 Q3

Let 
$$x = 10$$
,  $x + \Delta x = 10 + \frac{k}{100} \times 10$   
 $x + \Delta x = 10 + 0.k$   
 $\Rightarrow \Delta x = 10 + 0.k - 10$   
 $\Delta x = 0.k$   

$$y = \pi r^2$$

$$\frac{dy}{dx} = 2\pi r$$

$$\left(\frac{dy}{dx}\right)_{x=10} = 2\pi \left(10\right)$$

$$\left(\frac{dy}{dx}\right)_{x=10} = 20\pi \text{ cm}$$

So,

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=10} \times \Delta x$$
$$= (20\pi) \times (0.k)$$
$$\Delta y = 2k\pi \text{cm}^2$$

Area of the plate increases by  $2k\pi$  cm<sup>2</sup>.

#### Differentials Errors and Approximation Ex 14.1 Q4

Let 
$$length(L) = x$$

$$x + \Delta x = x + \frac{x}{100}$$

$$\Delta x = 0.01x$$

Now,

$$y = 6x^2$$

$$\frac{dy}{dx} = 12x \text{ cm}$$

So,

$$\Delta y = \left(\frac{dy}{dx}\right) \times \Delta x$$
$$= (12x)(0.01x)$$
$$\Delta y = 0.12x^{2} \text{ cm}^{2}$$

$$= 6(0.02)x^2$$

 $= 2\% \text{ of } 6x^2$ 

Percentage error in area is 2%.

#### Differentials Errors and Approximation Ex 14.1 Q5

Let 
$$x$$
 be the radius of sphere,  
 $\Delta x = 0.1\%$  of  $x$   
 $\Delta x = 0.001x$ 

Now,

Let 
$$y = \text{volume of sphere}$$

$$y = \frac{4}{3}\pi x^3$$

$$\frac{dy}{dx} = 4\pi x^2$$

$$\Delta y = \left(\frac{dy}{dx}\right) \times \Delta x$$

$$= 4\pi x^2 \times 0.001x$$

$$= \frac{4}{3}\pi x^3 (0.003)$$

$$= \frac{0.3}{100} \times y$$

$$\Delta y = 0.3\% \text{ of } y$$

So, percentage error in volume of error = 0.3%.

#### Differentials Errors and Approximation Ex 14.1 Q6

Given, 
$$\Delta v = -\frac{1}{2}\%$$
  
= -0.5%  
 $\Delta v = -0.005$ 

Here,

$$pv^{1,4} = k$$

Taking log on both the sides,

$$\log \left( pv^{1,4} \right) = \log k$$
$$\log p + 1.4 \log v = \log k$$

Differentiate it with respect to v,

$$\frac{1}{p}\frac{dp}{dv} + \frac{1.4}{v} = 0$$
$$\frac{dp}{dv} = -\frac{1.4}{v}p$$

$$\Delta p = \left(\frac{dp}{dv}\right) \Delta v$$

$$= -\frac{1.4p}{v} \times (-0.005)$$

$$\Delta p = \frac{1.4p(0.005)}{v}$$

$$\Delta p \text{ in } \% = \frac{\Delta p}{p} \times 100$$

$$= \frac{1.4p(0.005)}{p} \times 100$$

So, percentage error in p = 0.7%.

#### Differentials Errors and Approximation Ex 14.1 Q7

Let h be the height of the cone, and  $\alpha$  be the semivertide angle.

Here vertgide angle  $\alpha$  is fixed.

$$\Delta h = k\% \text{ of } h$$
$$= \frac{k}{100} \times h$$
$$\Delta h = (0.0k) h$$

(i) 
$$A = \pi r (r + l)$$
$$= \pi (r^2 + rl)$$
$$= \pi (r^2) + r \sqrt{h^2 + r^2}$$

Since, in a cone 
$$l^2 = h^2 + r^2$$

$$r = h \tan \alpha$$

$$A = \pi \left[ h^2 \tan^2 \alpha + h \tan \alpha \sqrt{h^2 + h^2 \tan^2 \alpha} \right]$$

$$= \pi \left[ h^2 \tan^2 \alpha + h \tan \alpha \sqrt{h^2 \left( 1 + \tan^2 \alpha \right)} \right]$$

$$= \pi \left[ h^2 \tan^2 \alpha + h \tan \alpha \times h \sec \alpha \right]$$

$$= \pi h^2 \left[ \frac{\sin^2 \alpha}{\cos^2 \alpha} + \frac{\sin \alpha}{\cos^2 \alpha} \right]$$

$$A = \pi h^2 \frac{\sin \alpha \left( \sin \alpha + 1 \right)}{\cos^2 \alpha}$$

[from figure]

Differentiating with respect to h as  $\alpha$  is fixed.

$$\frac{dA}{dh} = 2\pi h \frac{\sin\alpha \left(\sin\alpha + 1\right)}{\cos^2\alpha}$$

$$\Delta A = \frac{dA}{dh} \times \Delta h$$

$$\Delta a = \frac{2\pi h (0.0kh) \sin \alpha (\sin \alpha + 1)}{\cos^2 \alpha}$$

$$\Delta A \text{ in \% of } A = \frac{2\pi h (0.0kh) \sin \alpha (\sin \alpha + 1)}{\cos^2 \alpha} \times \frac{100}{A}$$

$$=\frac{2\pi kh^2\times\sin\alpha\left(\sin\alpha+1\right)}{\cos^2\alpha}\times\frac{\cos^2\alpha}{\pi h^2\sin\alpha\left(\sin\alpha+1\right)}$$

= 2k %

So, percentage increase in area = 2k%.

(ii)  
Let 
$$v = \text{volume of cone}$$
  
 $= \frac{1}{3}\pi r^2 h$   
 $= \frac{1}{3}\pi \left(h \tan \alpha\right)^2 h$   
 $v = \frac{\pi}{3} \tan^2 \alpha h^2$ 

Differentiating it with respect to h treating  $\alpha$  as constant,

$$\frac{dv}{dh} = \pi \tan^2 \alpha \times h^2$$

$$\Delta v = \left(\frac{dv}{dh}\right) \Delta h$$

$$= \pi \tan^2 \alpha h^2 \times (0.0kh)$$

$$\Delta v = 0.0k \pi h^3 \tan^2 \alpha$$

Percentage increase in 
$$v = \frac{\Delta v \times 100}{v}$$

$$= \frac{0.0k \pi h^3 \tan^2 \alpha \times 100}{\frac{\pi}{3} \tan^2 \alpha \times h^3}$$

$$= 3k\%$$

So, percentage increase in volume = 3k%.

# Differentials Errors and Approximation Ex 14.1 Q8

Let error in radius (r) = 
$$x$$
% of r  
 $\Delta r = 0.0xr$ 

Let 
$$v = \text{volume of sphere}$$
  
$$v = \frac{4}{3}\pi r^3$$

Differentiating it with respect to r,

$$\frac{dv}{dr} = 4\pi r^2$$

So,  

$$\Delta V = \left(\frac{dV}{dr}\right) \times \Delta r$$

$$= \left(4\pi r^2\right) (0.0x) r$$

$$\Delta V = 0.0x \times 4\pi r^3$$

Percentage of error in volume = 
$$\frac{\Delta v \times 100}{v}$$

$$= \frac{(0.0x) 4\pi r^3 \times 100}{\frac{4}{3}\pi r^3}$$

$$= 3x\%$$

Percentage of error in volume = 3 (percentage of error in radius).

# Differentials Errors and Approximation Ex 14.1 Q9(i)

Let 
$$x = 25, x + \Delta x = 25.02$$
  
 $\Delta x = 25.02 - 25$ 

$$\Delta x = 0.02$$

Let 
$$y = \sqrt{x}$$
  

$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$

$$\left(\frac{dy}{dx}\right)_{x=25} = \frac{1}{2\sqrt{25}}$$

$$\left(\frac{dy}{dx}\right)_{x=25} = \frac{1}{10}$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=25} \times X$$
$$= \frac{1}{10}(0.02)$$
$$\Delta y = 0.002$$

$$\sqrt{25.02} = y + \Delta y$$
  
=  $\sqrt{25} + 0.002$ 

$$= \sqrt{25 + 0.002}$$
$$= 5 + 0.002$$

$$\sqrt{25.02} = 5.002$$

Differentials Errors and Approximation Ex 14.1 Q9(ii)

Let 
$$x = 0.008, x + \Delta x = 0.009$$
  
 $\Delta x = 0.009 - 0.008$   
 $\Delta x = 0.001$ 

Let 
$$y = x^{\frac{1}{3}}$$

$$\frac{dy}{dx} = \frac{1}{3x^{\frac{3}{3}}}$$

$$\left(\frac{dy}{dx}\right) = 1$$

$$\left(\frac{dy}{dx}\right)_{x=0.008} = \frac{1}{3(0.008)^{\frac{2}{3}}}$$

$$= \frac{1}{3(0.04)}$$

$$= \frac{100}{12}$$

$$= 0.8333$$

So,  

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=0.008} \times \Delta x$$

$$= (0.8333)(0.001)$$

$$\begin{vmatrix} \Delta y - \left(\frac{dx}{dx}\right)_{x=0.008} & \Delta x \\ = (0.8333)(0.001) \\ \Delta y = 0.008333 \\ (0.009)^{\frac{1}{3}} = y + \Delta y$$

 $=(x)^{\frac{1}{3}}+0.008333$ 

= 0.52 + 0.008333

 $=(0.008)^{\frac{1}{3}}+0.008333$ 

$$(0.009)^{\frac{1}{3}} = 0.208333$$

$$x = 0.008, x + \Delta x = 0.007$$
  
 $\Delta x = 0.007 - 0.008$ 

$$\Delta x = 0.007 - 0.008$$
  
 $\Delta x = -0.001$ 

Let

Let  $y = x^{\frac{1}{3}}$ 

$$\frac{dy}{dx} = \frac{1}{3(x)^{\frac{2}{3}}}$$

$$\left(\frac{dy}{dx}\right)_{x=0.008} = \frac{1}{3(0.008)^{\frac{2}{3}}}$$

$$= \frac{100}{12}$$

$$\left(\frac{dy}{dx}\right)_{x=0.008} = 8.333$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=0.008} \times \Delta x$$

$$(0x)_{x=0.008}$$
  
= (8.333)(-0.001)  
 $y = -0.008333$ 

$$\Delta y = -0.008333$$

$$(0.007)^{\frac{1}{3}} = y + \Delta y$$

 $= x^{\frac{1}{3}} - 0.008333$ 

 $=(0.008)^{\frac{1}{3}}-0.008333$ 

$$= 0.2 - 0.008333$$

$$(0.007)^{\frac{1}{3}} = 0.191667$$

# Differentials Errors and Approximation Ex 14.1 Q9(iv)

$$\Delta x = 1$$
Let  $y = \sqrt{x}$ 

$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$

$$\left(\frac{dy}{dx}\right)_{x=400} = \frac{1}{2\sqrt{400}}$$

$$\left(\frac{dy}{dx}\right)_{x=400} = 0.025$$

 $x = 400, x + \Delta x = 401$  $\Delta x = 401 - 400$ 

Let

So,  

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=400} \times \Delta x$$

$$= (0.025)(1)$$

$$= 0.025$$

$$\sqrt{401} = y + \Delta y$$

 $= \sqrt{x} + 0.025$  $= \sqrt{400} + 0.025$ 

$$= 20 + 0.025$$

$$\sqrt{401} = 20.025$$

Differentials Errors and Approximation Ex 14.1 Q9(v)

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=16} \times \Delta x$$

$$= (0.03125)(-1)$$

$$\Delta y = -0.03125$$

$$(15)^{\frac{1}{4}} = y + \Delta y$$

$$= (x)^{\frac{1}{4}} - 0.03125$$

Differentials Errors and Approximation Ex 14.1 Q9(vi)

Let

Now,

Let  $y = x^{\frac{1}{4}}$ 

 $\frac{dy}{dx} = \frac{1}{4x^{\frac{3}{4}}}$ 

 $\left(\frac{dy}{dx}\right)_{x=16} = \frac{1}{4\left(16\right)^{\frac{3}{4}}}$ 

 $=(16)^{\frac{1}{4}}-0.03125$ 

= 2 - 0.03125

 $(15)^{\frac{1}{4}} = 1.96875$ 

= 0.03125

 $x = 16, x + \Delta x = 15$  $\Delta x = 15 - 16$  $\Delta x = -1$ 

Let 
$$x = 256, x + \Delta x = 255$$
  
 $\Delta x = 255 - 256$   
 $\Delta x = -1$ 

Let 
$$y = x^{\frac{1}{4}}$$

$$\frac{dy}{dx} = \frac{1}{\frac{3}{4x^{\frac{3}{4}}}}$$

$$\left(\frac{dy}{dx}\right) = \frac{1}{\frac{3}{4x^{\frac{3}{4}}}}$$

et 
$$y = x^{\frac{1}{4}}$$

$$\frac{dy}{dx} = \frac{1}{4x^{\frac{3}{4}}}$$

$$\left(\frac{dy}{dx}\right)_{x=256} = \frac{1}{4(256)^{\frac{3}{4}}}$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=256} \times \Delta x$$
$$= (0.00391)(-1)$$

$$= (0.0039)$$
  
 $\Delta y = -0.0039$ 

$$= (0.00391)$$

$$\Delta y = -0.00391$$

$$(255)^{\frac{1}{4}} = y + \Delta y$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=256} \times \Delta x$$
$$= (0.00391)(-1)$$

 $=(x)^{\frac{1}{4}}+(-0.00391)$ 

 $=(256)^{\frac{1}{4}}-0.00391$ 

= 4 - 0.00391

 $(255)^{\frac{1}{4}} = 3.99609$ 

Differentials Errors and Approximation Ex 14.1 Q9(vii)

 $\Delta x = 2.002 - 2$   $\Delta x = 0.002$ Let  $y = \frac{1}{x^2}$   $\frac{dy}{dx} = -\frac{2}{x^3}$ 

Let

Now,

x = 2,  $x + \Delta x = 2.002$ 

 $\left(\frac{dy}{dx}\right)_{x=2} = -\frac{2}{8}$ 

 $\frac{1}{\left(2.002\right)^3} = y + \Delta y$ 

= -0.25

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=2} \times \Delta x$$

$$= (-0.25)(0.002)$$

$$\Delta y = -0.0005$$
Now,

 $=\frac{1}{\sqrt{2}}+(-0.0005)$ 

= 0.25 - 0.0005

 $=\frac{1}{4}-0.0005$ 

 $\frac{1}{(2.002)^3} = 0.2495$ Differentials Errors and Approximation Ex 14.1 Q9(viii)

= (0.25)(0.04) $\Delta y = 0.01$  $log_e 4.04 = y + \Delta y$  $= \log x + (0.01)$  $= \log_e 4 + 0.01$  $= \frac{\log_e 4}{\log_{10} e} + 0.01$ Since,  $\log_a b = \frac{\log_c b}{\log_c a}$  $=\frac{0.6021}{0.4343}+0.01$ = 1.38637 + 0.01

$$= \frac{0.6021}{0.4343} + 0.01$$
 [Since, lo

log, 4.04 = 1.39637 Differentials Errors and Approximation Ex 14.1 Q9(ix)

x = 4,  $x + \Delta x = 4.04$  $\Delta x = 4.04 - 4$  $\Delta x = 0.04$ 

 $y = \log x$ 

 $\frac{dy}{dx} = \frac{1}{x}$ 

 $\left(\frac{dy}{dx}\right)_{x=4} = \frac{1}{4}$ 

 $\Delta y = \left(\frac{dy}{dx}\right)_{x = A} \times \Delta x$ 

= 0.25

Let

Now,

Let 
$$x = 10, x + \Delta x = 10.02$$
  
 $\Delta x = 10.02 - 10$   
 $\Delta x = 0.02$   
Let  $y = \log_e x$ 

Let 
$$y = \log_e x$$
  

$$\frac{dy}{dx} = \frac{1}{x}$$

$$\left(\frac{dy}{dx}\right)_{x=10} = \frac{1}{10}$$

$$\left(\frac{dy}{dx}\right)_{x=10} = 0.1$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=10} \times \Delta x$$
$$= (0.1)(0.02)$$
$$\Delta y = 0.002$$

=  $\log_e x + 0.002$ =  $\log_e 10 + 0.002$ 

 $\log_e (10.02) = y + \Delta y$ 

$$log_e (10.02) = 2.3046$$
Differentials Errors and Approximation Ex 14.1 Q9(x)

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=10} \times \Delta x$$

$$= \frac{1}{10(\log_e 10)} \times 0.1$$

$$\Delta y = \frac{0.01}{(\log_e 10)}$$

$$\log_{10}(10.1) = y + \Delta y$$

$$= \log_{10} x + \frac{0.01}{\log_e 10}$$

$$= \log_{10} 10 + 0.01\log_{10} e$$

$$= 1 + (0.01)(0.4343)$$

$$\log_{10}(10.1) = 1.004343$$
Differentials Errors and Approximation Ex 14.1 Q9(xi)

Since,  $\log_a b = \frac{\log_c a}{\log_a b}$ 

 $x = 10, x + \Delta x = 10.1$  $\Delta x = 10.1 - 10$  $\Delta x = 0.1$ 

 $y = \log_{10} x$ 

 $=\frac{\log_e x}{\ln a}$ 

 $\left(\frac{dy}{dx}\right) = \frac{1}{x \log_2 10}$ 

 $\left(\frac{dy}{dx}\right)_{x=0} = \frac{1}{10\log_2 10}$ 

Let

$$\Delta x = 61^{\circ} - 60^{\circ}$$

$$\Delta x = 1^{\circ} = \frac{\pi}{18^{\circ}} = 0.01745$$
Let  $y = \cos x$ 

$$\frac{dy}{dx} = -\sin x$$

$$\left(\frac{dy}{dx}\right)_{x=60^{\circ}} = -\sin\left(60^{\circ}\right)$$
$$= -\frac{\sqrt{3}}{2}$$

Let  $x = 60^\circ$ ,  $x + \Delta x = 61^\circ$ 

$$= -0.866$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=60^{\circ}} \times (\Delta x)$$

 $\cos 61^\circ = y + \Delta y$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=60^{\circ}} \times (\Delta x)$$
$$= (-0.866)(0.01745)$$

$$= (-0.866)(0.0$$
  
=  $-0.01511$ 

 $= \cos 60^{\circ} - 0.01511$ 

 $=\frac{1}{2}-0.01511$ 

= 0.5 - 0.01511

# Differentials Errors and Approximation Ex 14.1 Q9(xii)

$$\Delta x = 25.1 - 25$$

$$\Delta x = 0.1$$
Let 
$$y = \frac{1}{\sqrt{x}}$$

$$\frac{dy}{dx} = \frac{2}{2x^{\frac{3}{2}}}$$

Let

Now,

 $\frac{1}{\sqrt{25.1}} = y + \Delta y$ 

 $x = 25, x + \Delta x = 25.1$ 

 $\left(\frac{dy}{dx}\right)_{x=25} = -\frac{1}{2(25)^{\frac{3}{2}}}$ 

 $\Delta y = \left(\frac{dy}{dx}\right)_{x=25} \times (\Delta x)$ 

= (-0.004)(0.1)

= -0.0004

 $=-\frac{1}{250}$ 

= -0.004

$$= \frac{1}{\sqrt{x}} + (-0.0004)$$

$$= \frac{1}{\sqrt{25}} - 0.0004$$

$$= \frac{1}{5} - 0.0004$$

$$= 0.2 - 0.0004$$

 $\frac{1}{\sqrt{25.1}} = 0.1996$ Differentials Errors and Approximation Ex 14.1 Q9(xiii)

$$\Delta x = \left(\frac{22}{14} - \frac{\pi}{2}\right)$$

$$\Delta x = \sin x$$
Let  $y = \sin x$ 

Let 
$$y = \sin x$$
  
 $\frac{dy}{dx} = \cos x$ 

$$\left(\frac{dy}{dx}\right)_{x=\frac{\pi}{2}} = \cos\frac{\pi}{2}$$

$$\left(\frac{dy}{dx}\right)_{\frac{\pi}{2}} = 0$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{\frac{\pi}{2}} \times (\Delta y)$$

Let  $X = \frac{\pi}{2}, X + \Delta X = \frac{22}{14}$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x = \frac{\pi}{2}} \times (\Delta x)$$
$$= 0 \times \left(\frac{22}{14} - \frac{\pi}{2}\right)$$

$$= 0 \times \left(\frac{22}{14} - \frac{\pi}{2}\right)$$
$$= 0$$

 $\sin\left(\frac{22}{14}\right) = y + \Delta y$ 

 $= \sin x + 0$ 

 $=\sin\left(\frac{\pi}{2}\right)$ 

$$\sin\left(\frac{22}{14}\right) = 1$$

# Differentials Errors and Approximation Ex 14.1 Q9(xiv)

 $\Delta x = \frac{11\pi}{36} - \frac{\pi}{3}$   $= -\frac{\pi}{36}$   $= -\frac{22}{7 \times 36}$  = -0.0873

Let  $X = \frac{\pi}{3}$ ,  $X + \Delta X = \frac{11\pi}{36}$ 

 $y = \cos x$ 

 $\frac{dy}{dy} = -\sin x$ 

 $\left(\frac{dy}{dx}\right)_{x=\frac{\pi}{3}} = -\sin\frac{\pi}{3}$ 

= 0.0756

 $\cos\left(\frac{11\pi}{36}\right) = y + \Delta y$ 

Let

$$= -\frac{\sqrt{3}}{2}$$

$$= -0.866$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x = \frac{x}{2}} \times (\Delta x)$$

= (-0.866)(-0.0873)

 $= \frac{1}{2} + 0.0756$ = 0.5 + 0.0756

 $= \cos x + (0.0756)$ 

 $=\cos\frac{\pi}{3}+0.0756$ 

 $\cos \frac{11\pi}{36} = 0.7546$ 

Let 
$$x = 36, x + \Delta x = 37$$
  
 $\Delta x = 37 - 36$   
= 1

Let 
$$y = \sqrt{x}$$
$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$
$$\left(\frac{dy}{dx}\right)_{x=36} = \frac{1}{2\sqrt{36}}$$
$$= \frac{1}{12}$$
$$= 0.0833$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=36} \times (\Delta x)$$
$$= (0.0833)(1)$$
$$= 0.0833$$

$$\sqrt{37} = y + \Delta y$$

$$= \sqrt{x} + 0.0833$$

$$= \sqrt{36} + 0.0833$$

$$\sqrt{37} = 6.0833$$

# Differentials Errors and Approximation Ex 14.1 Q9(xvi)

Let 
$$x = 81$$
,  $x + \Delta x = 80$   
 $\Delta x = 80 - 81$   
 $= -1$ 

Let

Let 
$$y = x^{\frac{1}{4}}$$
  
 $\frac{dy}{dx} = \frac{1}{4(81)^{\frac{3}{4}}}$   
 $= \frac{1}{108}$   
 $= 0.00926$   
 $\Delta y = \left(\frac{dy}{dx}\right)_{x=81} \times (\Delta x)$   
 $= (0.00926)(-1)$   
 $= -0.00926$ 

$$(80)^{\frac{1}{4}} = y + \Delta y$$

$$= x^{\frac{1}{4}} - 0.00926$$

$$= (81)^{\frac{1}{4}} - 0.00926$$

$$= 3 - 0.00926$$

$$(80)^{\frac{1}{4}} = 2.99074$$

### Differentials Errors and Approximation Ex 14.1 Q9(xvii)

Let 
$$x = 27, x + \Delta x = 29$$
  
 $\Delta x = 29 - 27$   
= 2

$$= 2$$
Let  $y = x^{\frac{1}{3}}$ 

$$\frac{dy}{dy} = \frac{1}{3}$$

$$\frac{dy}{dx} = \frac{1}{3(x)^{\frac{2}{3}}}$$

$$\left(\frac{dy}{dx}\right)_{x=27} = \frac{1}{3(27)^{\frac{2}{3}}}$$

$$= \frac{1}{27}$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=27} \times (\Delta x)$$

= 0.03704

$$= (0.03704)(2)$$

$$\Delta y = 0.07408$$

 $(28)^{\frac{1}{3}} = y + \Delta y$ 

$$= x^{\frac{1}{3}} + 0.07408$$
$$= (27)^{\frac{1}{3}} + 0.07408$$

$$(29)^{\frac{1}{3}} = 3.07408$$

= 3 + 0.07408

# Differentials Errors and Approximation Ex 14.1 Q9(xviii)

Let 
$$x = 64, x + \Delta x = 66$$
  
 $\Delta x = 66 - 64$   
= 2

$$= 2$$
Let  $y = x^{\frac{1}{3}}$ 

Let 
$$y = x^{\frac{1}{3}}$$

$$\frac{dy}{dx} = \frac{1}{2(x)^{\frac{2}{3}}}$$

et 
$$y = x^{\frac{1}{3}}$$

$$\frac{dy}{dx} = \frac{1}{3(x)^{\frac{2}{3}}}$$

$$\frac{dx}{dx} - \frac{2}{3(x)^{\frac{2}{3}}}$$

$$\left(\frac{dy}{dx}\right)_{x=64} = \frac{1}{3(64)^{\frac{2}{3}}}$$

$$= \frac{48}{48}$$
= 0.020833

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=64} \times (\Delta x)$$

$$= (0.020833)(2)$$
$$= 0.041666$$

$$= (0.020833)(2)$$

$$= 0.041666$$

$$(66)\frac{1}{3} = y + \Delta y$$

$$= x^{\frac{1}{3}} + 0.041666$$
$$= (64)^{\frac{1}{3}} + 0.041666$$
$$= 4 + 0.041666$$

$$(66)^{\frac{1}{3}} = 4.041666$$
  
Differentials Errors and Approximation Ex 14.1 Q9(xix)

Let 
$$x = 25, x + \Delta x = 26$$
  
 $\Delta x = 26 - 25$   
= 1

Let 
$$y = \sqrt{x}$$

$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$

$$\left(\frac{dy}{dx}\right)_{x=25} = \frac{1}{2\sqrt{25}}$$

$$= \frac{1}{10}$$

$$= 0.1$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=25} \times (\Delta x)$$
$$= (0.1)(1)$$
$$= 0.1$$

$$\sqrt{26} = y + \Delta y$$
$$= \sqrt{x} + 0.01$$
$$= \sqrt{25} + 0.1$$

$$\sqrt{26} = 5.1$$

#### Differentials Errors and Approximation Ex 14.1 Q9(xx)

Let 
$$x = 0.49, x + \Delta x = 0.487$$
  
 $\Delta x = 0.48 - 0.49$   
 $= -0.01$ 

Let 
$$y = \sqrt{x}$$
$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$
$$\left(\frac{dy}{dx}\right)_{x=0.49} = \frac{1}{2\sqrt{0.49}}$$
$$= \frac{1}{1.4}$$
$$= 0.71428$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=0.49} \times (\Delta x)$$
$$= (0.71428)(-0.01)$$
$$\Delta y = -0.0071428$$

$$\sqrt{37} = y + \Delta y$$

$$= \sqrt{0.49} - 0.0071428$$

$$= 0.7 - 0071428$$

$$\sqrt{0.48} = 0.6928572$$

# Differentials Errors and Approximation Ex 14.1 Q9(xxi)

Let 
$$x = 81, x + \Delta x = 82$$
  
 $\Delta x = 82 - 81$   
= 1

Let 
$$y = x^{\frac{1}{4}}$$
$$\frac{dy}{dx} = \frac{1}{\frac{3}{4x^{\frac{3}{4}}}}$$

$$dx \frac{3}{4x^{\frac{3}{4}}}$$

$$\left(\frac{dy}{dx}\right)_{x=81} = \frac{1}{4(81)^{\frac{3}{4}}}$$

$$= \frac{1}{108}$$

$$= 0.009259$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=81} \times (\Delta x)$$
$$= (0.008259)(1)$$

$$= (0.008259)(1)$$

$$= 0.009259$$

$$(82)^{\frac{1}{4}} = y + \Delta y$$

 $= x^{\frac{1}{4}} + 0.009259$ 

 $=(81)^{\frac{1}{4}}+0.009259$ 

$$(82)^{\frac{1}{4}} = 3.009259$$

# Differentials Errors and Approximation Ex 14.1 Q9(xxii)

$$= (0.84375) \left(\frac{1}{81}\right)$$

$$= 0.01041$$

$$\left(\frac{17}{81}\right)^{\frac{1}{4}} = y + \Delta y$$

$$= \left(\frac{16}{81}\right)^{\frac{1}{4}} + 0.01041$$

Let  $x = \frac{16}{91}, x + \Delta x = \frac{17}{91}$ 

 $\Delta X = \frac{17}{81} - \frac{16}{81}$ 

 $=\frac{1}{81}$ 

 $\frac{dy}{dx} = \frac{1}{\frac{3}{4x^{\frac{3}{4}}}}$ 

 $\left(\frac{dy}{dx}\right)_{x=\frac{16}{81}} = \frac{1}{4\left(\frac{16}{81}\right)^{\frac{3}{4}}}$ 

 $=\frac{27}{32}$ 

 $\Delta y = \left(\frac{dy}{dx}\right)_{x = \frac{16}{81}} \times \left(\Delta x\right)$ 

= 0.84375

Let  $y = x^{\frac{1}{4}}$ 

= 0.6666 + 0.01041  $\left(\frac{17}{81}\right)^{\frac{1}{4}} = 0.67707$ 

Let 
$$x = 32, x + \Delta x = 33$$
  
 $\Delta x = 33 - 32$   
= 1

Let 
$$y = x^{\frac{1}{5}}$$
  
 $\frac{dy}{dx} = \frac{1}{\frac{4}{5x^{\frac{1}{5}}}}$   
 $\left(\frac{dy}{dx}\right)_{x=32} = \frac{1}{5(32)^{\frac{4}{5}}}$   
 $= \frac{1}{80}$   
 $= 0.0125$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=32} \times (\Delta x)$$
$$= (0.0125)(1)$$
$$\Delta y = 0.0125$$

$$(33)^{\frac{1}{5}} = y + \Delta y$$
$$= x^{\frac{1}{5}} + 0.0125$$
$$= (32)^{\frac{1}{5}} + 0.0125$$

$$(33)^{\frac{1}{5}} = 2.0125$$

# Differentials Errors and Approximation Ex 14.1 Q9(xxiv)

Let 
$$x = 36, x + \Delta x = 36.6$$
  
 $\Delta x = 36.6 - 36$   
 $= 0.6$ 

Let 
$$y = \sqrt{x}$$
$$\frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$
$$\left(\frac{dy}{dx}\right)_{x=36} = \frac{1}{2\sqrt{36}}$$
$$= \frac{1}{12}$$
$$= 0.0833$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=36} \times (\Delta x)$$
$$= (0.0833)(0.6)$$
$$= 0.04998$$

$$\sqrt{36.6} = y + \Delta y$$
  
=  $\sqrt{x} + 0.04998$   
=  $\sqrt{36} + 0.04998$ 

$$\sqrt{36.6} = 6.04998$$

# Differentials Errors and Approximation Ex 14.1 Q9(xxv)

Let 
$$x = 27, x + \Delta x = 25$$
  
 $\Delta x = 25 - 27$ 

$$\Delta x = 25 - 27$$
$$= -2$$

Let 
$$y = x^{\frac{1}{3}}$$
  
 $\frac{dy}{dx} = \frac{1}{\frac{2}{3x^{\frac{3}{3}}}}$   
 $\left(\frac{dy}{dx}\right)_{x=27} = \frac{1}{3(27)^{\frac{2}{3}}}$   
 $= \frac{1}{27}$ 

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=27} \times (\Delta x)$$
$$= (0.037)(-2)$$

= 0.037

$$(25)^{\frac{1}{3}} = y + \Delta y$$
$$= x^{\frac{1}{3}} + (-0.074)$$
$$= (27)^{\frac{1}{3}} - 0.074$$

= 3 - 0.074

$$(25)^{\frac{1}{3}} = 2.926$$

Let  $y = f(x) = \sqrt{x}$ , x = 49 and  $x + \Delta x = 49.5$ Then  $\Delta x = 0.5$ 

For x = 49 we have

 $v = \sqrt{49} = 7$  $dx = \Delta x = 0.5$ 

 $\vee = \sqrt{\times}$ 

 $\Rightarrow \frac{dy}{dx} = \frac{1}{2\sqrt{kx}}$ 

 $\Rightarrow \left(\frac{dy}{dx}\right)_{x=40} = \frac{1}{2 \times 7} = \frac{1}{14}$ 

 $\therefore dy = \frac{dy}{dx} dx$ 

 $\Rightarrow dy = \frac{1}{14}(0.5) = \frac{5}{140}$  $\Rightarrow \Delta y = \frac{1}{20}$ 

Hence,  $\sqrt{49.5} = y + \Delta y = 7 + \frac{1}{29} = 7 + 0.0357 = 7.0357$ 

For x = 4, y = 8

 $\frac{dy}{dy} = \frac{3}{2}X^{1/2}$ 

 $x + \Delta x = 3.968 \Rightarrow \Delta x = 3.968 - 4 = -0.032$ 

Differentials Errors and Approximation Ex 14.1 Q9(xxvii) Define a function  $v = x^{3/2}$ 

 $\Rightarrow dy = \left(\frac{3}{2}x^{1/2}\right)dx$ 

 $\Rightarrow \Delta y |_{\mathcal{A}} \simeq (3) \Delta x$  $\Rightarrow \Delta y|_{x,x} \simeq 3 \times (-0.032) = -0.096$  $(3.968)^{3/2} = v + \Delta v = 8 - 0.096$ 

= 7.904

Differentials Errors and Approximation Ex 14.1 Q9(xxviii)

Let 
$$y = f(x) = x^5$$
,  $x = 2$  and  $x + \Delta x = 1.999$ 

Then  $\Delta x = -0.001$ 

For x = 2 we have

$$y = (2)^5 = 32$$

$$dx = \Delta x = -0.001$$

$$v = x^5$$

$$\Rightarrow \frac{dy}{dx} = 5x^4$$

$$\Rightarrow \left(\frac{dy}{dx}\right)_{y=1} = 5(2)^4 = 80$$

$$\therefore dy = \frac{dy}{dx} dx$$

$$\Rightarrow$$
 dy = 80 (-0.001) = -0.080

Hence,

$$(1.999)^5 = y + \Delta y = 32 - 0.080 = 31.920$$

#### Differentials Errors and Approximation Ex 14.1 Q9(xxix)

Let y = f(x) = 
$$\sqrt{x}$$
, x = 0.09 and x +  $\Delta x$  = 0.082

Then  $\Delta x = -0.008$ 

For x = 0.09 we have

$$y = \sqrt{0.09} = 0.3$$

$$dx = \Delta x = -0.008$$

$$y = \sqrt{x}$$

$$\Rightarrow \frac{dy}{dx} = \frac{1}{2\sqrt{x}}$$

$$\Rightarrow \left(\frac{dy}{dx}\right)_{x=1} = \frac{1}{2 \times \sqrt{0.09}} = \frac{1}{2 \times 0.3} = \frac{1}{0.6}$$

$$\therefore dy = \frac{dy}{dx} dx$$

$$\Rightarrow$$
 dy =  $\frac{1}{0.6}$  (-0.008)

$$\Rightarrow \Delta y = -\frac{8}{600}$$

Hence,

$$\sqrt{0.082} = y + \Delta y = 0.3 - \frac{8}{600} = 0.3 - 0.0133 = 0.2867$$

# Differentials Errors and Approximation Ex 14.1 Q10

Let x = 2 and  $\Delta x = 0.01$ . Then, we have:

$$f(2.01) = f(x + \Delta x) = 4(x + \Delta x)^2 + 5(x + \Delta x) + 2$$
  
Now,  $\Delta v = f(x + \Delta x) - f(x)$ 

$$\therefore f(x + \Delta x) = f(x) + \Delta y$$

$$\int_{-\infty}^{\infty} f(x) + f'(x) \cdot \Delta x \qquad (as \, dx = \Delta x)$$

$$\Rightarrow f(2.01) \approx (4x^2 + 5x + 2) + (8x + 5) \Delta x$$

$$= \left[4(2)^2 + 5(2) + 2\right] + \left[8(2) + 5\right](0.01) \qquad [as x = 2, \ \Delta x = 0.01]$$

$$= (16 + 10 + 2) + (16 + 5)(0.01)$$

$$= 28 + (21)(0.01)$$

$$= 28 + 0.21$$

$$= 28.21$$

Hence, the approximate value of f(2.01) is 28.21.

### Differentials Errors and Approximation Ex 14.1 Q11

Let x = 5 and  $\Delta x = 0.001$ . Then, we have:

$$f(5.001) = f(x + \Delta x) = (x + \Delta x)^{3} - 7(x + \Delta x)^{2} + 15$$
Now,  $\Delta y = f(x + \Delta x) - f(x)$ 

$$f(x + \Delta x) = f(x) + \Delta y$$

$$\approx f(x) + f'(x) \cdot \Delta x \qquad (as dx = \Delta x)$$

$$\Rightarrow f(5.001) \approx (x^{3} - 7x^{2} + 15) + (3x^{2} - 14x) \Delta x$$

$$= \left[ (5)^{3} - 7(5)^{2} + 15 \right] + \left[ 3(5)^{2} - 14(5) \right] (0.001) \qquad [x = 5, \Delta x = 0.001]$$

$$= (125 - 175 + 15) + (75 - 70)(0.001)$$

$$= -35 + (5)(0.001)$$

$$= -35 + 0.005$$

$$= -34.995$$

Hence, the approximate value of f(5.001) is -34.995.

#### Differentials Errors and Approximation Ex 14.1 Q12

Let 
$$x = 1000, x + \Delta x = 1005$$
  
 $\Delta x = 1005 - 1000$   
= 5

Let 
$$y = \log_{10} x$$
  

$$\frac{dy}{dx} = \frac{\log_e x}{\log_e 10}$$

$$\frac{dy}{dx} = \frac{1}{x \log_e 10}$$

$$\left[\because \log_a b = \frac{\log_e b}{\log_e a}\right]$$

$$\Delta y = \left(\frac{dy}{dx}\right)_{x=1000} \times (\Delta x)$$
$$= (0.0004343)(5)$$
$$= 0.0021715$$

$$\begin{aligned} \log_{10} 1005 &= y + \Delta y \\ &= \log_{10} x + 0.0021715 \\ &= \log_{10} 1000 + 0.0021715 \\ &= \log_{10} 10^3 + 0.0021715 \\ &= 3\log_{10} 10 + 0.0021715 \end{aligned}$$

log<sub>10</sub> 1005 = 3.0021715

#### Differentials Errors and Approximation Ex 14.1 Q13

Let r be the radius of the sphere and  $\Delta r$  be the error in measuring the radius.

Then,

$$r = 9 \text{ m}$$
 and  $\Delta r = 0.03 \text{ m}$ 

Now, the surface area of the sphere (S) is given by,

$$S = 4\pi r^2$$

$$\therefore \frac{dS}{dr} = 8\pi r$$

$$\therefore dS = \left(\frac{dS}{dr}\right) \Delta r$$

$$= (8\pi r) \Delta r$$

$$= 8\pi (9)(0.03) \text{ m}^2$$

$$= 2.16\pi \text{ m}^2$$

Hence, the approximate error in calculating the surface area is  $2.16\pi$  m<sup>2</sup>.

#### Differentials Errors and Approximation Ex 14.1 Q14

The surface area of a cube (S) of side x is given by  $S = 6x^2$ .

$$\therefore \frac{dS}{dx} = \left(\frac{dS}{dx}\right) \Delta x$$

$$= (12x) \Delta x$$

$$= (12x)(0.01x) \qquad [as 1\% \text{ of } x \text{ is } 0.01x]$$

$$= 0.12x^2$$

Hence, the approximate change in the surface area of the cube is  $0.12x^2 \text{ m}^2$ .

### Differentials Errors and Approximation Ex 14.1 Q15

Let r be the radius of the sphere and  $\Delta r$  be the error in measuring the radius.

Then,

$$r = 7 \text{ m}$$
 and  $\Delta r = 0.02 \text{ m}$ 

Now, the volume V of the sphere is given by,

$$V = \frac{4}{3}\pi r^3$$

$$\therefore \frac{dV}{dr} = 4\pi r^2$$

$$\therefore dV = \left(\frac{dV}{dr}\right)\Delta r$$

$$= \left(4\pi r^2\right)\Delta r$$

$$= 4\pi \left(7\right)^2 \left(0.02\right) \text{ m}^3 = 3.92\pi \text{ m}^3$$

Hence, the approximate error in calculating the volume is 3.92  $\pi$  m<sup>3</sup>.

### Differentials Errors and Approximation Ex 14.1 Q16

The volume of a cube (V) of side x is given by  $V = x^3$ .

$$\therefore dV = \left(\frac{dV}{dx}\right) \Delta x$$

$$= \left(3x^2\right) \Delta x$$

$$= \left(3x^2\right) \left(0.01x\right) \qquad \text{[as 1% of } x \text{ is } 0.01x\text{]}$$

$$= 0.03x^3$$

Hence, the approximate change in the volume of the cube is 0.03x3 m3.