RD SHARMA
Solutions
Class 9 Maths
Chapter 1
Ex 1.2

Q1. Express the following rational numbers as decimals:

- (i) $\frac{42}{100}$
- (ii) $\frac{327}{500}$
- (iii) $\frac{15}{4}$

Solution:

- (i) By long division method
- 100) $\overline{42}$ (0.42
- 400
- 200
- 200
- _

Therefore, $\frac{42}{100} = 0.42$

- (ii) By long division method
- 500) 327.000 (0.654
- 3000
- 2700
- 2500
- 2000
- 2000
- 0

Therefore, $\frac{327}{500} = 0.654$

- (iii) By long division method
- 4) 15.00 (3.75
- 12
- 30
- 28
- 20
- 20
- 0

Therefore, $\frac{15}{4} = 3.75$

Q2. Express the following rational numbers as decimals:

- (i) $\frac{2}{3}$
- (ii) $-\frac{4}{9}$
- (iii) $-\frac{2}{15}$
- (iv) $-\frac{22}{13}$
- (v) $\frac{437}{999}$

Solution:

- (i) By long division method
- 3) $\overline{2.0000}$ (0.66
- 18
- 20
- 18
- 2

Therefore, $\frac{2}{3} = 0.66$

- (ii) By long division method
- 9) $\overline{4.000}$ (0.444
- 3600
- 4000
- 3600
- 4000
- 3600
- 400

Therefore, $-\frac{4}{9} = -0.444$

- (iii) By long division method
- 15) $\overline{2.00}$ (1.333
- 15
- 50
- 45
- 50
- 45

Therefore, $\frac{2}{15} = -1.333$

(iv) By long division method

13) $\overline{22.000}$ (1.69230769

Therefore, $-\frac{22}{13} = -1.69230769$

(v) By long division method

999) 437.0000 (0.43743

3996

3740

2997

743

Therefore, $\frac{437}{999} = 0.43743$

Q3. Look at several examples of rational numbers in the form of

 $\frac{p}{q}$ (q ≠ 0), where p and q are integers with no

common factor other than 1 and having terminating decimal representations. Can you guess what property q must satisfy? Solution:

A rational number $\frac{p}{q}$ is a terminating decimal

only, when prime factors of q are q and 5 only. Therefore,

 $\frac{p}{q}$ $\,$ is a terminating decimal only, when prime

factorization of q must have only powers of 2 or 5 or both.